

Docket No.: 50040-047

IPW
PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

John LAMPL

Serial No.: 10/825,218

Filed: April 16, 2004

For: LIGHTWEIGHT AIRFOIL AND METHOD OF MANUFACTURING SAME



: Customer Number: 20277

: Confirmation Number: 7250

: Group Art Unit: 3644

: Examiner:

REQUEST FOR CORRECTED FILING RECEIPT


Mail Stop OFR
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Attached is a copy of the Filing Receipt received from the U.S. Patent and Trademark Office in the above-referenced application. It is noted that the number of Independent Claims is incorrect. Attached is a copy of the Claims, which evidences that the number of Independent Claims should read: 4. It is requested that a corrected filing receipt be issued.

Respectfully submitted,

MCDERMOTT WILL & EMERY LLP


Stephen A. Becker
Registration No. 26,527

600 13th Street, N.W.
Washington, DC 20005-3096
202.756.8000 SAB:blg
Facsimile: 202.756.8087
Date: September 1, 2004



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
 United States Patent and Trademark Office
 Address: COMMISSIONER FOR PATENTS
 P.O. Box 1450
 Alexandria, Virginia 22313-1450
 www.uspto.gov

APPL NO.	FILING OR 371 (c) DATE	ART UNIT	FIL FEE REC'D	ATTY. DOCKET NO	DRAWINGS	TOT CLMS	IND CLMS
10/825,218	04/16/2004	3644	0.00	50040-047	4	35	3 (4)

CONFIRMATION NO. 7250

MCDERMOTT, WILL & EMERY
 600 13th Street, N.W.
 Washington, DC 20005-3096

FILING RECEIPT




OC000000013134839

Date Mailed: 07/01/2004

Receipt is acknowledged of this regular Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please write to the Office of Initial Patent Examination's Filing Receipt Corrections, facsimile number 703-746-9195. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections (if appropriate).

Applicant(s)

John Lampl, Residence Not Provided;



MW&E

Domestic Priority data as claimed by applicant

Foreign Applications

If Required, Foreign Filing License Granted: 07/01/2004

Projected Publication Date: To Be Determined - pending completion of Missing Parts

Non-Publication Request: No

Early Publication Request: No

** SMALL ENTITY **

Title

Lightweight airfoil and method of manufacturing same

Preliminary Class

244

**LICENSE FOR FOREIGN FILING UNDER
Title 35, United States Code, Section 184
Title 37, Code of Federal Regulations, 5.11 & 5.15**

GRANTED

The applicant has been granted a license under 35 U.S.C. 184, if the phrase "IF REQUIRED, FOREIGN FILING LICENSE GRANTED" followed by a date appears on this form. Such licenses are issued in all applications where the conditions for issuance of a license have been met, regardless of whether or not a license may be required as set forth in 37 CFR 5.15. The scope and limitations of this license are set forth in 37 CFR 5.15(a) unless an earlier license has been issued under 37 CFR 5.15(b). The license is subject to revocation upon written notification. The date indicated is the effective date of the license, unless an earlier license of similar scope has been granted under 37 CFR 5.13 or 5.14.

This license is to be retained by the licensee and may be used at any time on or after the effective date thereof unless it is revoked. This license is automatically transferred to any related applications(s) filed under 37 CFR 1.53(d). This license is not retroactive.

The grant of a license does not in any way lessen the responsibility of a licensee for the security of the subject matter as imposed by any Government contract or the provisions of existing laws relating to espionage and the national security or the export of technical data. Licensees should apprise themselves of current regulations especially with respect to certain countries, of other agencies, particularly the Office of Defense Trade Controls, Department of State (with respect to Arms, Munitions and Implements of War (22 CFR 121-128)); the Office of Export Administration, Department of Commerce (15 CFR 370.10 (j)); the Office of Foreign Assets Control, Department of Treasury (31 CFR Parts 500+) and the Department of Energy.

NOT GRANTED

No license under 35 U.S.C. 184 has been granted at this time, if the phrase "IF REQUIRED, FOREIGN FILING LICENSE GRANTED" DOES NOT appear on this form. Applicant may still petition for a license under 37 CFR 5.12, if a license is desired before the expiration of 6 months from the filing date of the application. If 6 months has lapsed from the filing date of this application and the licensee has not received any indication of a secrecy order under 35 U.S.C. 181, the licensee may foreign file the application pursuant to 37 CFR 5.15(b).

What is claimed is:

1. A method of manufacturing a lightweight airfoil having a frame and a skin over the frame, comprising the steps of:
 coring a sheet of support material;
 attaching a skin material to the cored sheet of support material to form a laminate sheet of skin material and support material; and
 defining an outer portion of the airfoil from the laminate sheet.
2. The method according to claim 1, wherein the airfoil defining step includes trimming excess material from the laminate sheet proximate an outer portion of the frame.
3. The method according to claim 1, further comprising a step of defining the frame in the support material.
4. The method according to claim 3, wherein the frame defining step includes compressing the support material proximate the defined frame.
5. The method according to claim 4, wherein the compressing of the support material forms channels on only a first major side of the support material, and
 the skin material is attached to the second major side of the support material.
6. The method according to claim 3, wherein the frame defining step precedes the coring step.
7. The method according to claim 1, wherein the coring step defines an inside portion of the frame.
8. The method according to claim 7, wherein the skin material is attached to the frame using an adhesive glue.

9. The method according to claim 8, further comprising the step of applying the adhesive to the cored sheet of support material prior to the attaching step.

10. The method according to claim 1, wherein the skin material includes biaxial oriented polypropylene.

11. The method according to claim 1, wherein the support material includes expanded polystyrene sheet.

12. The method according to claim 1, wherein a single sheet of support material extends from said coring step to said airfoil defining step.

13. The method according to claim 1, wherein the airfoil has a thickness of about 2.0 mm to about 8.0 mm.

14. The method according to claim 13, wherein the airfoil has an area to weight ratio of 30 in²/gram or more.

15. The method according to claim 1, wherein the airfoil has an area to weight ratio of 30 in²/gram or more.

16. The method according to claim 1, wherein the skin material is rolled onto the support material to form the laminate sheet.

17. The method according to claim 1, wherein the airfoil defining step separates the airfoil from the laminate sheet.

18. The method according to claim 1, wherein a ratio of an area of the frame to an area defined by the frame is less than 0.10.

19. The method according to claim 1, wherein a ratio of an area of the frame to an area defined by the frame is less than 0.05.

20. A method of manufacturing a lightweight airfoil having a frame and a skin over the frame, comprising the steps of:

defining the frame by compressing the support material proximate the frame;

coring a sheet of support material;

applying an adhesive to at least one of the skin material and the support material;

attaching a skin material to the cored sheet of support material using the adhesive to form a laminate sheet of skin material and support material; and

defining an outer portion of the airfoil from the laminate sheet, wherein a single sheet of support material extends from said coring step to said airfoil defining step.

21. A lightweight airfoil, comprising

a frame; and

a skin attached to the frame, wherein the airfoil has an area to weight ratio of 30 in²/gram or more.

22. The lightweight airfoil according to claim 21, wherein the frame is formed from a single sheet of expanded polystyrene.

23. The lightweight airfoil according to claim 22, wherein the skin includes biaxial oriented polypropylene.

24. The lightweight airfoil according to claim 21, wherein the frame has a thickness of about 2.0 mm to about 8.0 mm.

25. The lightweight airfoil according to claim 21, wherein the frame is attached to the skin with an adhesive glue.

26. The lightweight airfoil according to claim 21, wherein the frame is cored.

27. The lightweight airfoil according to claim 21, wherein the airfoil has an area to weight ratio of 30 in²/gram or more.

28. The lightweight airfoil according to claim 21, wherein a ratio of an area of the frame to an area defined by the frame is less than 0.10.

29. The lightweight airfoil according to claim 21, wherein a ratio of an area of the frame to an area defined by the frame is less than 0.05.

30. A lightweight airfoil, comprising
a cored frame; and
a skin attached to the frame with an adhesive, wherein the frame is formed from a single sheet of expanded polystyrene.

31. The lightweight airfoil according to claim 30, wherein the airfoil has an area to weight ratio of 20 in²/gram or more.

32. The lightweight airfoil according to claim 30, wherein the airfoil has an area to weight ratio of 30 in²/gram or more.

33. The lightweight airfoil according to claim 30, wherein a ratio of an area of the frame to an area defined by the frame is less than 0.10.

34. The lightweight airfoil according to claim 30, wherein a ratio of an area of the frame to an area defined by the frame is less than 0.05.

35. The lightweight airfoil according to claim 30, wherein the frame has a thickness of about 2.0 to about 8.0.